



## Complete Summary

---

### TITLE

Heart failure: percent of patients with documentation in the hospital record that left ventricular systolic (LVS) function was evaluated before arrival, during hospitalization, or is planned for after discharge.

### SOURCE(S)

Specifications manual for national hospital quality measures, version 1.04. Centers for Medicare and Medicaid Services (CMS), Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2005 Aug. various p.

### Measure Domain

#### PRIMARY MEASURE DOMAIN

Process

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the [Measure Validity](#) page.

#### SECONDARY MEASURE DOMAIN

Does not apply to this measure

### Brief Abstract

#### DESCRIPTION

This measure is used to assess the percent of heart failure patients with documentation in the hospital record that left ventricular systolic (LVS) function was evaluated before arrival, during hospitalization, or is planned for after discharge.

#### RATIONALE

Appropriate selection of medications to reduce morbidity and mortality in heart failure requires the identification of patients with impaired left ventricular systolic function. National guidelines advocate the evaluation of left ventricular systolic function as the single most important diagnostic test in the management of all patients with heart failure. Despite these recommendations, left ventricular

systolic (LVS) function is not evaluated in a substantial proportion of patients hospitalized with heart failure.

#### PRIMARY CLINICAL COMPONENT

Heart failure; left ventricular systolic (LVS) function; evaluation

#### DENOMINATOR DESCRIPTION

Heart failure patients (see the related "Denominator Inclusions/Exclusions" field in the Complete Summary)

#### NUMERATOR DESCRIPTION

Heart failure patients with documentation in the hospital record that left ventricular systolic (LVS) function was evaluated before arrival, during hospitalization, or is planned for after discharge

### Evidence Supporting the Measure

#### EVIDENCE SUPPORTING THE CRITERION OF QUALITY

- A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence
- One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

### Evidence Supporting Need for the Measure

#### NEED FOR THE MEASURE

Overall poor quality for the performance measured

#### EVIDENCE SUPPORTING NEED FOR THE MEASURE

Jencks SF, Cuerdon T, Burwen DR, Fleming B, Houck PM, Kussmaul AE, Nilasena DS, Ordin DL, Arday DR. Quality of medical care delivered to Medicare beneficiaries: A profile at state and national levels. JAMA2000 Oct 4;284(13):1670-6. [PubMed](#)

### State of Use of the Measure

#### STATE OF USE

Current routine use

#### CURRENT USE

Accreditation  
Collaborative inter-organizational quality improvement  
Internal quality improvement  
Pay-for-performance

#### Application of Measure in its Current Use

##### CARE SETTING

Hospitals

##### PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Measure is not provider specific

##### LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Single Health Care Delivery Organizations

##### TARGET POPULATION AGE

Age greater than or equal to 18 years

##### TARGET POPULATION GENDER

Either male or female

##### STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

#### Characteristics of the Primary Clinical Component

##### INCIDENCE/PREVALENCE

Nearly 5 million patients in the United States (U.S.) have heart failure (HF), and approximately 500,000 to 900,000 new cases are diagnosed each year.

##### EVIDENCE FOR INCIDENCE/PREVALENCE

Hunt SA, Baker DW, Chin MH, Cinquegrani MP, Feldman AM, Francis GS, Ganiats TG, Goldstein S, Gregoratos G, Jessup ML, Noble RJ, Packer M, Silver MA, Stevenson LW. ACC/AHA guidelines for the evaluation and management of chronic heart failure in the adult. Bethesda (MD): American College of Cardiology Foundation (ACCF); 2001 Sep. 56 p. [573 references]

##### ASSOCIATION WITH VULNERABLE POPULATIONS

Unspecified

## BURDEN OF ILLNESS

Unspecified

## UTILIZATION

Unspecified

## COSTS

Heart failure (HF) is the most common Medicare diagnosis-related group, and more Medicare dollars are spent for the diagnosis and treatment of HF than for any other diagnosis.

## EVIDENCE FOR COSTS

Hunt SA, Baker DW, Chin MH, Cinquegrani MP, Feldman AM, Francis GS, Ganiats TG, Goldstein S, Gregoratos G, Jessup ML, Noble RJ, Packer M, Silver MA, Stevenson LW. ACC/AHA guidelines for the evaluation and management of chronic heart failure in the adult. Bethesda (MD): American College of Cardiology Foundation (ACCF); 2001 Sep. 56 p. [573 references]

## Institute of Medicine National Healthcare Quality Report Categories

## IOM CARE NEED

Living with Illness

## IOM DOMAIN

Effectiveness

## Data Collection for the Measure

## CASE FINDING

Users of care only

## DESCRIPTION OF CASE FINDING

Discharges, age 18 years and older, with a principal diagnosis of heart failure

## DENOMINATOR SAMPLING FRAME

Patients associated with provider

## DENOMINATOR INCLUSIONS/EXCLUSIONS

#### Inclusions

Discharges with an International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Principal Diagnosis Code for heart failure as defined in Appendix A of the original measure documentation

#### Exclusions

- Patients less than 18 years of age
- Patients transferred to another acute care hospital or federal hospital
- Patients who expired
- Patients who left against medical advice
- Patients discharged to hospice
- Patients with reasons documented by a physician, nurse practitioner, or physician assistant for no left ventricular systolic (LVS) function evaluation
- Patients who had a left ventricular assistive device (LVAD) or heart transplant procedure during the hospitalization (ICD-9-CM procedure code for LVAD and heart transplant as defined in Appendix A of the original measure documentation)

#### DENOMINATOR (INDEX) EVENT

Clinical Condition  
Institutionalization

#### DENOMINATOR TIME WINDOW

Time window is a single point in time

#### NUMERATOR INCLUSIONS/EXCLUSIONS

##### Inclusions

Heart failure patients with documentation in the hospital record that left ventricular systolic (LVS) function was evaluated before arrival, during hospitalization, or is planned for after discharge

##### Exclusions

None

#### NUMERATOR TIME WINDOW

Episode of care

#### DATA SOURCE

Administrative and medical records data

#### LEVEL OF DETERMINATION OF QUALITY

Individual Case

## PRE-EXISTING INSTRUMENT USED

Unspecified

## Computation of the Measure

### SCORING

Rate

### INTERPRETATION OF SCORE

Better quality is associated with a higher score

### ALLOWANCE FOR PATIENT FACTORS

Unspecified

### STANDARD OF COMPARISON

External comparison at a point in time  
External comparison of time trends  
Internal time comparison

## Evaluation of Measure Properties

### EXTENT OF MEASURE TESTING

The core measure pilot project was a collaboration among the Joint Commission, five state hospitals associations, five measurement systems, and 83 hospitals from across nine states. Participating hospitals collected and reported data for heart failure (HF) measures from December 2000 to December 2001.

Core measure reliability visits were completed the summer of 2001 at a random sample of 16 participating hospitals across 6 states.

Preliminary data from the pilot test demonstrate an opportunity for improvement with a mean rate of 79%.

### EVIDENCE FOR RELIABILITY/VALIDITY TESTING

Joint Commission on Accreditation of Healthcare Organizations (JCAHO). A comprehensive review of development and testing for national implementation of hospital core measures. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 40 p.

## Identifying Information

### ORIGINAL TITLE

HF-2: evaluation of LVS function.

MEASURE COLLECTION

[National Hospital Quality Measures](#)

MEASURE SET NAME

[Heart Failure](#)

SUBMITTER

Centers for Medicare & Medicaid Services  
Joint Commission on Accreditation of Healthcare Organizations

DEVELOPER

Centers for Medicare and Medicaid Services/Joint Commission on Accreditation of  
Healthcare Organizations

ENDORSER

National Quality Forum

INCLUDED IN

Hospital Compare  
Hospital Quality Alliance  
National Healthcare Quality Report (NHQR)

ADAPTATION

Measure was not adapted from another source.

RELEASE DATE

2000 Aug

REVISION DATE

2005 Aug

MEASURE STATUS

Please note: This measure has been updated. The National Quality Measures  
Clearinghouse is working to update this summary.

SOURCE(S)

Specifications manual for national hospital quality measures, version 1.04. Centers for Medicare and Medicaid Services (CMS), Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 2005 Aug. various p.

## MEASURE AVAILABILITY

The individual measure, "HF-2: Evaluation of LVS Function," is published in "Specifications Manual for National Hospital Quality Measures." This document is available from the [Joint Commission on Accreditation of Healthcare Organizations \(JCAHO\) Web site](#). Information is also available from the [Centers for Medicare & Medicaid Services \(CMS\) Web site](#). Check the JCAHO Web site and CMS Web site regularly for the most recent version of the specifications manual and for the applicable dates of discharge.

## COMPANION DOCUMENTS

The following are available:

- A software application designed for the collection and analysis of quality improvement data, the CMS Abstraction and Reporting Tool (CART), is available from the [CMS CART Web site](#). Supporting documentation is also available. For more information, e-mail CMS PROINQUIRIES at [proinquiries@cms.hhs.gov](mailto:proinquiries@cms.hhs.gov).
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO). A comprehensive review of development and testing for national implementation of hospital core measures. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 40 p. This document is available from the [JCAHO Web site](#).
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO). Attributes of core performance measures and associated evaluation criteria. Oakbrook Terrace (IL): Joint Commission on Accreditation of Healthcare Organizations (JCAHO); 5 p. This document is available from the [JCAHO Web site](#).
- Hospital compare: a quality tool for adults, including people with Medicare. [internet]. Washington (DC): U.S. Department of Health and Human Services; 2005 [updated 2005 Sep 1]; [cited 2005 Apr 15]. This is available from the [Medicare Web site](#).

## NQMC STATUS

This NQMC summary was completed by ECRI on February 7, 2003. The information was verified by the Centers for Medicare/Medicaid Services and the Joint Commission on Accreditation of Healthcare Organizations on February 12, 2003. This NQMC summary was updated by ECRI on October 11, 2005. The information was verified by the measure developer on December 12, 2005.

## COPYRIGHT STATEMENT



The Specifications Manual for National Hospital Quality Measures [Version 1.04, August, 2005] is the collaborative work of the Centers for Medicare & Medicaid Services and the Joint Commission on Accreditation of Healthcare Organizations. The Specifications Manual is periodically updated by the Centers for Medicare & Medicaid Services and the Joint Commission on Accreditation of Healthcare Organizations. Users of the Specifications Manual for National Hospital Quality Measures should periodically verify that the most up-to-date version is being utilized.

© 2006 National Quality Measures Clearinghouse

Date Modified: 9/25/2006

The logo for FIRST GOV, with "FIRST" in blue and "GOV" in red, and a small red star above the "I".

